

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	311.77	311.98
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-1.24	-1.24

STN INTERNATIONAL LOGOFF AT 15:45:57 ON 03 JUL 2003

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1712jxr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	Jun 03	New e-mail delivery for search results now available
NEWS	4	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS	5	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS	6	Aug 26	Sequence searching in REGISTRY enhanced
NEWS	7	Sep 03	JAPIO has been reloaded and enhanced
NEWS	8	Sep 16	Experimental properties added to the REGISTRY file
NEWS	9	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS	10	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS	11	Oct 24	BEILSTEIN adds new search fields
NEWS	12	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS	13	Nov 18	DKILIT has been renamed APOLLIT
NEWS	14	Nov 25	More calculated properties added to REGISTRY
NEWS	15	Dec 04	CSA files on STN
NEWS	16	Dec 17	PCTFULL now covers WP/PCT Applications from 1978 to date
NEWS	17	Dec 17	TOXCENTER enhanced with additional content
NEWS	18	Dec 17	Adis Clinical Trials Insight now available on STN
NEWS	19	Jan 29	Simultaneous left and right truncation added to COMPENDEX, ENERGY, INSPEC
NEWS	20	Feb 13	CANCERLIT is no longer being updated
NEWS	21	Feb 24	METADEX enhancements
NEWS	22	Feb 24	PCTGEN now available on STN
NEWS	23	Feb 24	TEMA now available on STN
NEWS	24	Feb 26	NTIS now allows simultaneous left and right truncation
NEWS	25	Feb 26	PCTFULL now contains images
NEWS	26	Mar 04	SDI PACKAGE for monthly delivery of multifile SDI results
NEWS	27	Mar 20	EVENTLINE will be removed from STN
NEWS	28	Mar 24	PATDPAFULL now available on STN
NEWS	29	Mar 24	Additional information for trade-named substances without structures available in REGISTRY
NEWS	30	Apr 11	Display formats in DGENE enhanced
NEWS	31	Apr 14	MEDLINE Reload
NEWS	32	Apr 17	Polymer searching in REGISTRY enhanced

NEWS 33 Jun 13 Indexing from 1947 to 1956 added to records in CA/CAPLUS
 NEWS 34 Apr 21 New current-awareness alert (SDI) frequency in
 WPIDS/WPINDEX/WPIX
 NEWS 35 Apr 28 RDISCLOSURE now available on STN
 NEWS 36 May 05 Pharmacokinetic information and systematic chemical names
 added to PHAR
 NEWS 37 May 15 MEDLINE file segment of TOXCENTER reloaded
 NEWS 38 May 15 Supporter information for ENCOMPPAT and ENCOMPLIT updated
 NEWS 39 May 16 CHEMREACT will be removed from STN
 NEWS 40 May 19 Simultaneous left and right truncation added to WSCA
 NEWS 41 May 19 RAPRA enhanced with new search field, simultaneous left and
 right truncation
 NEWS 42 Jun 06 Simultaneous left and right truncation added to CBNB
 NEWS 43 Jun 06 PASCAL enhanced with additional data
 NEWS 44 Jun 20 2003 edition of the FSTA Thesaurus is now available
 NEWS 45 Jun 25 HSDB has been reloaded

NEWS EXPRESS April 4 CURRENT WINDOWS VERSION IS V6.01a, CURRENT
 MACINTOSH VERSION IS V6.0b(ENG) AND V6.0Jb(JP),
 AND CURRENT DISCOVER FILE IS DATED 01 APRIL 2003
 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 07:08:21 ON 07 JUL 2003

=> FIL REGISTRY		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 07:08:28 ON 07 JUL 2003
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2003 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 4 JUL 2003 HIGHEST RN 542812-68-0
 DICTIONARY FILE UPDATES: 4 JUL 2003 HIGHEST RN 542812-68-0

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2003

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP
 PROPERTIES for more information. See STNote 27, Searching Properties
 in the CAS Registry File, for complete details:

<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=>


Uploading 10032128struc7.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 A, Cb, Cy, Hy, Id, Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 07:08:57 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1889 TO ITERATE

52.9% PROCESSED 1000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

50 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**

PROJECTED ITERATIONS: 35174 TO 40386
PROJECTED ANSWERS: 4554 TO 6552


L2 50 SEA SSS SAM L1

=> d scan

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS

IN Benzoic acid, 3-[4-[bis(acetyloxy)methyl]-1,3,3a,4,7,7a-hexahydro-1,3-dioxo-4,7-epoxy-2H-isoindol-2-yl]-, ethyl ester (9CI)


MF C22 H21 N O9



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN Hydrazinecarboxylic acid, 2-benzoyl-1-(4-chlorobenzoyl)-2-(1,1-dimethylethyl)-, 2-[methyl[2-oxo-2-(phenylmethoxy)ethyl]amino]-2-oxo-1-(1-oxopropoxy)ethyl ester (9CI)
MF C34 H36 Cl N3 O9



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 3-[7-[3-(dimethylamino)-1,3-dioxopropyl]imidazo[5,1-b]thiazol-2-yl]-6-[(1R)-1-hydroxyethyl]-4-methyl-7-oxo-, 1-[[[(cyclohexyloxy)carbonyl]oxy]ethyl] ester, (4S,5R,6S)-(9CI)
MF C29 H36 N4 O9 S

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN Pentanedioic acid, mono[1-(1-oxobutoxy)ethyl] ester (9CI)
MF C11 H18 O6
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1,1,9-Nonanetriol, triacetate (9CI)
 MF C15 H26 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 4,7-Epoxy-1H-isoindole-1,3(2H)-dione, 4-[bis(acetyloxy)methyl]-2-(3-bromo-4-methylphenyl)-3a,4,7,7a-tetrahydro- (9CI)
 MF C20 H18 Br N O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-(acetyloxy)ethyl]-4-methyl-7-oxo-3-[[[(3R)-5-oxo-3-pyrrolidinyl]thio]-, 1-[(1-oxooctyl)oxy]ethyl ester, (4R,5S,6S)- (9CI)
 MF C26 H38 N2 O8 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid,
 7-[[[(2Z)-[2-[[[(2S)-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxopropyl]amino]-4-thiazolyl](methoxyimino)acetyl]amino]-8-oxo-,
 1-[[[(1-methylethoxy)carbonyl]oxy]ethyl ester, (6R,7R)- (9CI)
 MF C27 H36 N6 O11 S2

Absolute stereochemistry.
 Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Hexadecanoic acid, 16-[(1-oxohexadecyl)oxy]-, 16-[1-[(16-hydroxy-1-oxohexadecyl)oxy]ethoxy]-16-oxohexadecyl ester (9CI)
 MF C66 H126 O9




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 6,8-Dioxa-2,4-diazaundec-2-enoic acid, 7,10,10-trimethyl-5,9-dioxo-3-(1H-pyrazol-1-yl)-, 1,1-dimethylethyl ester (9CI)
 MF C17 H26 N4 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Hydrazinecarboxylic acid, 2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl)-1-(3-methoxy-2-methylbenzoyl)-, 2-(1,1-dimethylethoxy)-2-oxo-1-[[tetrahydro-2-furanyl]carbonyl]oxyethyl ester (9CI)
 MF C34 H44 N2 O10



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-4-methyl-3-[7-(methylsulfonyl)imidazo[5,1-b]thiazol-2-yl]-7-oxo-, 1-[[pentyloxy]carbonyl]oxyethyl ester, (4S,5R,6S)- (9CI)
 MF C24 H31 N3 O9 S2

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Benzeneacetic acid, .alpha.-methyl-4-(2-methylpropyl)-,
 1-(1-oxobutoxy)butyl ester (9CI)
 MF C21 H32 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Methanediol, (6-nitro-1,3-benzodioxol-5-yl)-, diacetate (ester) (9CI)
 MF C12 H11 N O8




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 2-Naphthalenepropanoic acid, 7-[[[1-(2,2-dimethyl-1-oxopropoxy)ethoxy]carbonyl]amino]iminomethyl]-.alpha.-[4-[[[(3S)-1-[1-(2,2-dimethyl-1-oxopropoxy)ethoxy]-3-pyrrolidinyloxy]phenyl]-, (.alpha.S)- (9CI)
 MF C39 H49 N3 O10

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS

IN 1-oxo-3-pyrrolidinylthio]-6-[(1R)-1-[(triethylsilyl)oxy]ethyl]-,
1-[[[(1-methylethoxy)carbonyl]oxy]ethyl ester, (4R,5S,6S)- (9CI)

MF C26 H42 N2 O8 S Si

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS


IN 1-Piperazineacetic acid, 4-[1-[[1-(acetyloxy)ethoxy]carbonyl]-4-

piperidinyl]-, 4-(2-butoxy-2-oxoethyl)phenyl ester (9CI)
 MF C28 H41 N3 O8




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Propanoic acid, 2,2-dimethyl-, 1-(acetyloxy)ethyl ester (9CI)
 MF C9 H16 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 2,4-Dioxa-6,8-diazanon-6-en-9-oic acid, 1-cyclohexyl-3-methyl-7-(methylthio)-1,5-dioxo-, 1-[(cyclohexylcarbonyl)oxy]ethyl ester (9CI)
 MF C22 H34 N2 O8 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 2-Pyridinecarboxylic acid, [[[2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl)-1-(4-ethylbenzoyl)hydrazino]carbonyl]oxy] (2-methylphenyl)methyl ester (9CI)
 MF C37 H39 N3 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-4-methyl-3-[7-(methylthio)imidazo[5,1-b]thiazol-2-yl]-7-oxo-,
 1-[(ethoxycarbonyl)oxy]ethyl ester, (4S,5R,6S)- (9CI)
 MF C21 H25 N3 O7 S2

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid,
 7-[[[(2Z)-(5-amino-1,2,4-thiadiazol-3-yl)][(fluoromethoxy)imino]acetyl]amino]
]-3-formyl-8-oxo-, 1-[[[(1-methylethoxy)carbonyl]oxy]ethyl ester, (6R,7R)-
 (9CI)
 MF C19 H21 F N6 O9 S2

Absolute stereochemistry.
 Double bond geometry as shown.

CC(=O)OC1C(OC)C(=C(C=C1)OC(=O)C)C(=O)OC


PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

CC1=C(C)C(OC(=O)C)C(C)=CC1C

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN [1]Benzoxepino[3,4-b]pyridine-7-carboxylic acid, 5-[3-[4-(4-chlorophenyl)-4-hydroxy-1-piperidinyl]propylidene]-5,11-dihydro-, 1-

MF [[(cyclohexyloxy)carbonyl]oxy]ethyl ester (9CI)
 C37 H41 Cl N2 O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Piperazineacetic acid, 4-[1-[[1-(acetyloxy)ethoxy]carbonyl]-4-piperidinyl]-, 4-[2-(cyclohexyloxy)-2-oxoethyl]phenyl ester (9CI)
 MF C30 H43 N3 O8



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Butanedioic acid, bis[1-(2,2-dimethyl-1-oxopropoxy)ethyl] ester (9CI)
 MF C18 H30 O8



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN D-erythro-D-galacto-Dec-2-enonic acid, 5-(acetylamino)-4-[[[[[1-(acetyloxy)ethoxy]carbonyl]amino][[(1,1-dimethylethoxy)carbonyl]amino]methylene]amino]-2,6:7,10-dianhydro-3,4,5-trideoxy- (9CI)
MF C23 H34 N4 O13

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN 2-Pyridinecarboxylic acid, [[2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl)-1-(3-methoxy-2-methylbenzoyl)hydrazino]carbonyl]oxy] (2-methylphenyl)methyl ester (9CI)
MF C37 H39 N3 O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-4-methyl-3-[7-(methylthio)imidazo[5,1-b]thiazol-2-yl]-7-oxo-, 1-[[[(pentyloxy)carbonyl]oxy]ethyl] ester, (4S,5R,6S) - (9CI)
MF C24 H31 N3 O7 S2

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid,
 7-[[[(2Z)-(2-amino-4-thiazolyl)(hydroxyimino)acetyl]amino]-3-
 (methoxymethyl)-8-oxo-, 1-[(cyclohexylcarbonyl)oxy]ethyl ester, (6R,7R)-,
 mono(4-methylbenzenesulfonate) (salt) (9CI)
 MF C23 H29 N5 O8 S2 . C7 H8 O3 S

CM 1

Absolute stereochemistry.
 Double bond geometry as shown.




CM 2




L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN .beta.-D-Glucopyranoside, 3,3-bis(acetyloxy)propyl, tetraacetate (9CI)
 MF C21 H30 O14

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 4,7-Epoxy-1H-isoindole-1,3(2H)-dione, 4-[bis(acetyloxy)methyl]-3a,4,7,7a-tetrahydro- (9CI)
 MF C13 H13 N O7




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Butanoic acid, 4-(2,4-dichlorophenoxy)-, 1-[(chlorocarbonyl)oxy]-2-ethoxy-2-oxoethyl ester (9CI)
 MF C15 H15 Cl3 O7



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN 1-Piperazineacetic acid, 4-[1-[[2-methyl-1-(1-oxopropoxy)propoxy]carbonyl]-4-piperidinyl]-, 4-(2-ethoxy-2-oxoethyl)phenyl ester, monohydrochloride (9CI)
MF C29 H43 N3 O8 . Cl H



● HCl


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid, 7-[[[(2-amino-4-thiazolyl)acetyl]amino]-3-(methoxymethyl)-8-oxo-, 1-[(cyclohexylcarbonyl)oxy]ethyl ester, [6R-(6.alpha.,7.beta.)]-[partial]- (9CI)
MF C23 H30 N4 O7 S2
CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
IN Cyclohexaneacetic acid, 1-[[[1-(benzoyloxy)butoxy]carbonyl]amino]methyl]- (9CI)
MF C21 H29 N O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Butanoic acid, 2-[[[2-ethoxy-1-(2-methyl-1-oxopropoxy)-2-oxoethoxy]carbonyl]amino]-4-(hydroxymethylphosphinyl)-, monoammonium salt, (2S)- (9CI)
 MF C14 H24 N O10 P . H3 N


Absolute stereochemistry.



● NH_3

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-4-methyl-3-[7-(methylthio)imidazo[5,1-b]thiazol-2-yl]-7-oxo-, 1-[[[(2,4,6-trimethylphenoxy)carbonyl]oxy]ethyl ester, (4S,5R,6S)- (9CI)
 MF C28 H31 N3 O7 S2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 5-Thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid,
 7-amino-3-(methoxymethyl)-8-oxo-, (1R)-1-[(cyclopropylcarbonyl)oxy]ethyl
 ester, monohydrochloride, (6R,7R)- (9CI)
 MF C15 H20 N2 O6 S . Cl H


Absolute stereochemistry.




● HCl

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Hexanoic acid, 1-methyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-1,2-ethanediyl
 ester, polymer with 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl
 4-[(2-methyl-1-oxo-2-propenyl)oxy]butanoate, methyl 2-propenoate,
 2-methyl-2-propenoic acid, octadecyl 2-methyl-2-propenoate and 2-propenoic
 acid (9CI)
 MF (C22 H42 O2 . C19 H32 O6 . C14 H20 O6 . C4 H6 O2 . C4 H6 O2 . C3 H4 O2)x
 CI PMS


CM 1




CM 2




CM 3




CM 4




CM 5



CM 6




L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Hydrazinecarboxylic acid, 2-benzoyl-1-(4-chlorobenzoyl)-2-(1,1-dimethylethyl)-, 1-[[[3-methyl-2-thienyl]carbonyloxy]ethyl ester (9CI)
 MF C27 H27 Cl N2 O6 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Hydrazinecarboxylic acid, 2-benzoyl-1-(4-chlorobenzoyl)-2-(1,1-dimethylethyl)-, carboxy(1-oxopropoxy)methyl ester (9CI)
 MF C24 H25 Cl N2 O8



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Piperazineacetic acid, 4-[1-[[1-(2,2-dimethyl-1-oxopropoxy)ethoxy]carbonyl]-4-piperidinyl]-, 4-(2-ethoxy-2-oxoethyl)phenyl ester, monohydrochloride (9CI)
 MF C29 H43 N3 O8 . Cl H



HCl


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 1-Azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, 6-[(1R)-1-hydroxyethyl]-4-methyl-7-oxo-3-[[[(3R)-5-oxo-3-pyrrolidiny]thio]-, 1-[[[(1-methylethoxy)carbonyl]oxy]ethyl ester, (4R,5S,6S)- (9CI)
 MF C20 H28 N2 O8 S

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Cyclohexaneacetic acid, 1-[[[2-methyl-1-(2-methyl-1-oxopropoxy)propoxy]carbonyl]amino]methyl]-, methyl ester (9CI)
 MF C19 H33 N O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN 8-Quinolinecarboxylic acid, 3,7-dichloro-, 1-[[[[(1S)-1-carboxy-3-(hydroxymethylphosphinyl)propyl]amino]carbonyl]oxy]-2-(1-methylethoxy)-2-oxoethyl ester, compd. with 2-propanamine (1:1) (9CI)
 MF C21 H23 Cl2 N2 O10 P . C3 H9 N

CM 1


Absolute stereochemistry..



CM 2




L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Methanediol, (4-bromo-5-nitro-2-thienyl)-, diacetate (ester) (9CI)
 MF C9 H8 Br N O6 S





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Poly[oxy(2,2,2-trichloroethylidene)], .alpha.-(1-oxopropyl)-.omega.-(1-oxopropoxy)- (9CI)
 MF (C2 H Cl3 O)n C6 H10 O3
 CI PMS



L2 50 ANSWERS REGISTRY COPYRIGHT 2003 ACS
 IN Azeto[2,1-a]isoindole-4-14C-4-carboxylic acid, 1,2,5,6,7,8,8a,8b-octahydro-1-(1-hydroxyethyl)-5-methoxy-2-oxo-, 1-[[[(cyclohexyloxy)carbonyl]oxy]ethyl ester (9CI)
 MF C23 H33 N O8



ALL ANSWERS HAVE BEEN SCANNED

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

5.20

5.41

STN INTERNATIONAL LOGOFF AT 07:16:04 ON 07 JUL 2003